Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25698	(717/108,103,136,100; 707/1-3,5, 10,101-102,103x,200,204; 715/513,526;705/2,5).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 09:04
L2	5	1 and (ontolog$3 same (mapp$4 and schema)) and xsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 09:04
L3	0	2 and (@ad<="20010525" or @rlad<="20010525") not (Hellman Schreiber Fox Berger).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 09:05
S1	72	(@ad<="20010525" or @rlad<="20010525") and (xslt and database and schema and DTD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:29
S2	8	((transform$5 convert$5 mapp$5) near3 (data xml (source and target))) same (((first one) adj2 schema) near4 ((second another) adj2 schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:50
S3	4	(@ad<="20010525" or @rlad<="20010525") and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:51
S4	1	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:48
S5	70	S1 not Hellman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:48
S6	70	S5 and (((first one) schema) same ((second another) schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:49

S7	47	S5 and (((first one) schema) adj5 ((second another) schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:20
S8	9027	((transform$5 convert$5 mapp$5) near3 (data xml (source and target))) same (ontology model schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:50
S9	200	S8 and (((first one) schema) adj5 ((second another) schema)) and xslt and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:51
S10	60	(@ad<="20010525" or @rlad<="20010525") and S9 not Hellman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:26
S11	29	S7 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:51
S13	20596	(transform$5 same (((source first one) adj schema) adj5 ((target second another) adj schema))).ab. or (transform$5 same (((source first one) schema) adj5 ((target second another) schema))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:55
S14	5782	(@ad<="20010525" or @rlad<="20010525") and S8 not Hellman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:12
S15	46	S13 and S14 and "707"/$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:56
S16	46	(@ad<="20010525" or @rlad<="20010525") and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:57
S17	30	S16 and (model near8 (dependen$5 based accord$5 mapp$5 conform$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:19

S18	3	S17 and (xslt and dtd and schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:03
S19	5	(transformation and (database model)).ab. and (xslt and dtd and schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:09
S20	0	(@ad<="20010525" or @rlad<="20010525") and S19 not Hellman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:04
S21	17	((transform$5 convert$5 translat$4) and (database model)).ab. and (xslt and dtd and schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:04
S22	8	(@ad<="20010525" or @rlad<="20010525") and S21 not Hellman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:11
S23	2	("2002/0133484").URPN.	USPAT	OR	ON	2005/09/15 10:06
S24	4	("6199195" | "6209124" | "6226675" | "6356920").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/15 10:07
S25	39	((mapp$5 transform$6 deriv$4) and (database model schema)). clm. and (xslt and dtd and schema and property)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:11
S26	12	(@ad<="20010525" or @rlad<="20010525") and S25 not Hellman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:11
S27	22	(@ad<="20010525" or @rlad<="20010525") and S13 not Hellman.in. and xslt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:13
S29	0	(@ad<="20010525" or @rlad<="20010525") and S13 not Hellman.in. and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:51

S30	48	S1 and ((common central) adj2 model database repository) and (model near8 (dependen$5 based accord$5 mapp$5 conform$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:19
S31	1	S30 and (((first one) adj schema) adj5 ((second another) adj schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:20
S32	1	S30 and (((first one) adj schema) near8 ((second another) adj schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:21
S35	6	xslt and model and (((first one) adj schema) near8 ((second another) adj schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:22
S36	1	(@ad<="20010525" or @rlad<="20010525") not Hellman.in. and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:23
S37	5	(ontology near2 model).clm. and mapping and xsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 12:47
S39	3	(ontology near2 model) and mapping and xsl and xsl not (berger Schreiber hellman).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:16
S40	38	((mapp$5 transform$5) and schema) same (ontology and model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:16
S41	6	S40 and xsl not (berger Schreiber hellman).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:18
S42	0	(@ad<="20010525" or @rlad<="20010525") and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:52

S43	9	(@ad<="20010525" or @rlad<="20010525") and (S1 or S6 or S8 or S9 or S14 or S16 or S25) and (xsl and model and ontolog$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:25
S44	2	"6847974".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:57
S45	25	(US-20020194220-$ or US-20030014397-$ or US-20020156772-$ or US-20020123993-$ or US-20020133484-$ or US-20050171970-$ or US-20050165815-$ or US-20050149489-$ or US-20050114757-$ or US-20050108637-$ or US-20040267574-$ or US-20050198086-$ or US-20040093344-$ or US-20040243595-$).did. or (US-6792431-$ or US-6643633-$ or US-6643668-$ or US-6626957-$ or US-6532473-$ or US-6654734-$ or US-6732109-$ or US-6772413-$ or US-6789252-$ or US-6845380-$ or US-6847974-$).did.	US-PGPUB; USPAT	OR	ON	2005/09/15 14:04
S46	20	S45 and ((mapp$5 transform$5) and schema) and (ontology or model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:05
S47	3	S45 and ((mapp$5 transform$5) and schema) and (ontology near model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:38
S48	2	"20020087620".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:23
S49	6410	((mapp$4 schema) near6 (ontology model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:24

S50	18	((mapp$4 adj3 schema) near6 ((ontology database repository workflow) adj3 model))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:25
S51	5	S50 and xsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:25
S52	5	(@ad<="20010525" or @rlad<="20010525") and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:25
S53	11	(@ad<="20010525" or @rlad<="20010525") and S50 not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:28
S54	5	S53 not (berger fox Schreiber Hellman).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:30
S55	1	S54 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:30
S56	25	(US-20020087620-$ or US-20020123993-$ or US-20020133484-$ or US-20020156772-$ or US-20020194220-$ or US-20030014397-$ or US-20040267574-$ or US-20050108637-$ or US-20050114757-$ or US-20050149489-$ or US-20050165815-$ or US-20050171970-$ or US-20050198086-$).did. or (US-5499371-$ or US-6532473-$ or US-6626957-$ or US-6643633-$ or US-6643668-$ or US-6654734-$ or US-6732109-$ or US-6772413-$ or US-6789252-$ or US-6792431-$ or US-6845380-$ or US-6847974-$).did.	US-PGPUB; USPAT	OR	ON	2005/09/16 12:58

S57	1	S56 and (mapp$5 near9 (model and schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:07
S58	1	S56 and (mapp$5 near9 (model and (semantic ontolog$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:28
S59	10	(add$4 near5 class) same (model near4 (semantic ontolog$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:32
S60	4	(@ad<="20010525" or @rlad<="20010525") and xml and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:32
S61	6	(@ad<="20010525" or @rlad<="20010525") and S59 not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:30
S62	0	(@ad<="20010525" or @rlad<="20010525") and S60 not (Hellman Schreiber Fox Berger).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:59
S63	25	(US-20020087620-$ or US-20020123993-$ or US-20020133484-$ or US-20020156772-$ or US-20020194220-$ or US-20030014397-$ or US-20040267574-$ or US-20050108637-$ or US-20050114757-$ or US-20050149489-$ or US-20050165815-$ or US-20050171970-$ or US-20050198086-$).did. or (US-5499371-$ or US-6532473-$ or US-6626957-$ or US-6643633-$ or US-6643668-$ or US-6654734-$ or US-6732109-$ or US-6772413-$ or US-6789252-$ or US-6792431-$ or US-6845380-$ or US-6847974-$).did.	US-PGPUB; USPAT	OR	ON	2005/09/16 14:51

S64	1	S63 and ((add$4 near5 class) same (model DOM (tree near3 semantic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:33
S65	0	ontolog$3 and Chau.in. and (xsl xml dtd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:59
S66	46	ontolog$3 and rdbm and query and (xsl xml dtd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:59
S67	15	(@ad<="20010525" or @rlad<="20010525") and S66 not (Hellman Schreiber Fox Berger).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:24
S68	4	S67 and xsl$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:21
S69	4	wachtel.in. and ontolog$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:24
S70	2	(@ad<="20010525" or @rlad<="20010525") and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 13:24

S71	25	(US-20020087620-$ or US-20020123993-$ or US-20020133484-$ or US-20020156772-$ or US-20020194220-$ or US-20030014397-$ or US-20040267574-$ or US-20050108637-$ or US-20050114757-$ or US-20050149489-$ or US-20050165815-$ or US-20050171970-$ or US-20050198086-$).did. or (US-5499371-$ or US-6532473-$ or US-6626957-$ or US-6643633-$ or US-6643668-$ or US-6654734-$ or US-6732109-$ or US-6772413-$ or US-6789252-$ or US-6792431-$ or US-6845380-$ or US-6847974-$).did.	US-PGPUB; USPAT	OR	ON	2005/09/16 14:51
S72	14	S71 and (xml near8 (database or (table near2 record)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:52
S73	29	(US-20020087620-$ or US-20020091923-$ or US-20020123993-$ or US-20020133484-$ or US-20020156772-$ or US-20020161674-$ or US-20020194181-$ or US-20020194220-$ or US-20030014397-$ or US-20040267574-$ or US-20050108637-$ or US-20050114757-$ or US-20050149489-$ or US-20050165815-$ or US-20050171970-$ or US-20050198086-$).did. or (US-5499371-$ or US-6529934-$ or US-6532473-$ or US-6626957-$ or US-6643633-$ or US-6643668-$ or US-6654734-$ or US-6732109-$ or US-6772413-$ or US-6789252-$ or US-6792431-$ or US-6845380-$ or US-6847974-$).did.	US-PGPUB; USPAT	OR	ON	2005/09/17 12:59
S74	22	S73 and (DTD same xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:01

S75	9	S73 and ontolog$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:04
S76	5	S75 and DTD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:01
S77	4	S75 not S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:21
S78	3	S77 and model and xsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:05
S79	4	S76 and model and xsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:10
S80	2	"6799174".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:10
S81	0	S73 and xquery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 13:22